



## **REGIONAL DISTRICT of Fraser-Fort George**

### **REQUEST FOR PROPOSALS PS-26-02**

#### **Ferndale Frontline Water Tender**

**Date Issued:** January 23, 2026

**Closing Location:** Regional District Office  
3<sup>rd</sup> Floor, 155 George Street,  
Prince George, BC V2L 1P8

**Closing Date:** March 5, 2026  
**2:00 pm (Pacific Standard Time)**  
**No Public Opening**

**Inquiries:** Email Bonnie Seitz at [bseitz@rdffg.bc.ca](mailto:bseitz@rdffg.bc.ca)  
Deadline: February 19, 2026 at 4:00 pm

**Note:** Late submissions will not be considered



**REQUEST FOR PROPOSALS**

**PS-26-02 Ferndale Frontline Water Tender**

**REQUEST FOR PROPOSAL (RFP) DOCUMENTS**

RFP documents may be obtained on, or after the Issue Date as follows:

- a) in a PDF (public document format) file format from the Regional District's website at [www.rdffg.bc.ca](http://www.rdffg.bc.ca);
- b) on the BC Bid website at [www.bcbid.gov.bc.ca](http://www.bcbid.gov.bc.ca);

All subsequent information regarding this RFP, including amendments, Addendum(s) and answers to questions will also be available as above.

It is the sole responsibility of the proponent to ascertain that they have received a full set of the RFP documents. Upon submission of their proposal, the proponent will be deemed conclusively to have been in possession of a full set of the RFP documents.

The lowest or any proposal will not necessarily be accepted. The Regional District reserves the right to accept or reject any or all proposals. Facsimile proposals will NOT be accepted.

**DELIVERY OF PROPOSALS AND CLOSING DATE:**

Proposals must be in English and must be submitted using one of the submission methods below.

The Regional District will accept Proposals submitted by email or by direct delivery to the Regional District main office. All Proposals must be submitted to the Regional District's General Manager of Financial Services by 2:00 p.m. (local time) on March 5, 2026.

Proposals submitted by fax will NOT be accepted. Any Proposal received after the closing date and time will not be considered and will be returned to the Proponent.

Submissions must be directly delivered to the Regional District in either:

- Email format with the Proposal attached to the email in a PDF, or equivalent format and emailed to [purchasing@rdffg.bc.ca](mailto:purchasing@rdffg.bc.ca). The subject line should read "**PS-26-02 Ferndale Frontline Water Tender.**" (Insert Proponent Name) (The maximum file size able to be received by the Regional District is 35 MB); or
- Electronic format submitted on a USB readable device with the Proposal in a PDF, or equivalent format; or
- Hard copy format, including three complete Proposal copies.

If submitting in a mail format (USB or hard copy), proponents should submit it in a sealed envelope with the following information written on the outside of the envelope containing the Proposal, as well as on the outside of the courier envelope (if sending by courier):

1. Attention: General Manager of Financial Services



Regional District of Fraser-Fort George  
3rd Floor, 155 George Street  
Prince George, BC V2L 1P8

2. Request for Proposals,  
PS-26-02 Ferndale Frontline Water Tender
3. Responding Proponent's name and address.

To be considered, proposals must be signed by an authorized signatory of the proponent. By signing the proposal, the proponent is bound to statements made in response to this RFP. Any proposal received by the Regional District that is unsigned will be rejected.

**Proposals not submitted in strict accordance with these instructions or not complying with the requirements in this RFP may be rejected.**

**The Regional District will not be responsible for any costs incurred by proponents as a result of the preparation or submission of a proposal pertaining to this RFP.** The accuracy and completeness of the proposal is the proponent's responsibility. Should errors be discovered, they will be corrected by the proponent at their expense.

The Regional District reserves the right to negotiate with any proponent at its discretion. The proponents will be competent and capable of performing the work. The proponent may be required to provide evidence of previous experience and financial responsibility before a contract is awarded.

### **PROPOSANTS SITE MEETING**

There will be no proponent's meeting for this RFP.

**Questions relating to the RFP must be emailed directly to the Project Manager:**

**Bonnie Seitz**

**[bseitz@rdfq.bc.ca](mailto:bseitz@rdfq.bc.ca)**

**Deadline for question submissions is 4:00 p.m. (local time) February 19, 2026.**

Those questions that are determined to be of a common interest to all potential proponents will be summarized and posted as Addendum(s) on the website.

---



## **TABLE OF CONTENTS**

<b>1.0</b>	<b>SUMMARY OF OPPORTUNITY</b>	<b>6</b>
<b>2.0</b>	<b>RFP PROCESS RULES</b>	<b>6</b>
2.1	DEFINITIONS .....	6
2.2	ACCEPTANCE OF TERMS AND CONDITIONS.....	7
2.3	SUBMISSION OF PROPOSAL.....	7
2.4	ERRORS, OMISSIONS, CLARIFICATIONS.....	7
2.5	LATE PROPOSALS .....	7
2.6	CHANGES TO PROPOSALS .....	7
2.7	CONFLICT OF INTEREST.....	7
2.8	REJECTION OF PROPOSAL.....	8
2.9	LIABILITY FOR ERRORS .....	9
2.10	LIMITATION OF LIABILITY .....	9
2.11	OWNERSHIP OF PROPOSALS AND FREEDOM OF INFORMATION .....	9
2.12	CONFIDENTIALITY.....	10
2.13	NOT A TENDER.....	10
<b>3.0</b>	<b>PROPOSAL FORMAT</b>	<b>10</b>
<b>4.0</b>	<b>PROPOSAL EVALUATION</b>	<b>11</b>
4.1	PROPOSAL EVALUATION.....	11
4.2	SELECTED PROVONENT NEGOTIATIONS.....	11
4.3	TERMINATION OF NEGOTIATIONS AND/OR RFP PROCESS .....	11
4.4	COMPLIANCE WITH RFP REQUIREMENTS .....	11
<b>5.0</b>	<b>SELECTION AND EVALUATION</b>	<b>11</b>
5.1	SELECTION CRITERIA.....	11
5.2	EVALUATION CRITERIA:.....	12
<b>6.0</b>	<b>CONTRACT</b>	<b>12</b>
6.1	FORM OF CONTRACT .....	12
6.2	PERFORMANCE BOND AND LABOUR AND MATERIALS BOND.....	12
6.3	NOTIFICATION .....	12
<b>7.0</b>	<b>CONTRACT PRICE</b>	<b>12</b>
<b>8.0</b>	<b>CHANGES</b> .....	<b>13</b>
<b>9.0</b>	<b>LICENSES AND PERMITS</b> .....	<b>13</b>
<b>10.0</b>	<b>DAMAGE TO EXISTING PROPERTY OF FACILITY</b> .....	<b>13</b>
<b>11.0</b>	<b>WORKSAFEBC</b> .....	<b>13</b>
<b>12.0</b>	<b>RIGHTS OF WAIVER</b> .....	<b>13</b>
<b>13.0</b>	<b>SEVERABILITY</b> .....	<b>14</b>
<b>14.0</b>	<b>COMPLIANCE WITH LAWS AND REGULATIONS</b> .....	<b>14</b>
<b>15.0</b>	<b>WARRANTY, INSURANCE AND INDEMNITY</b> .....	<b>14</b>
15.1	MANUFACTURER'S INSURANCE .....	14
15.2	INDEMNITY.....	14
<b>16.0</b>	<b>DELIVERY AND PAYMENT</b> .....	<b>14</b>
16.1	DELIVERY TIMETABLE .....	14



16.2	DELIVERY TERMS .....	14
16.3	LATE DELIVERY .....	14
16.4	CONTRACT PRICE .....	15
16.5	PAYMENT SCHEDULE .....	15
16.6	HOLDBACK ON DELIVERY .....	15
<b>17.0</b>	<b>DISPUTE RESOLUTION</b> .....	<b>15</b>
<b>18.0</b>	<b>FORCE MAJEURE</b> .....	<b>15</b>
<b>19.0</b>	<b>NOTICE OF DEFAULT</b> .....	<b>16</b>
	<i>APPENDIX "A" SCHEDULE OF PRICES</i> .....	17
	<i>APPENDIX "B" GOODS AND SERVICES TAX INFORMATION</i> .....	18
	<i>APPENDIX "C" CONFLICT OF INTEREST DISCLOSURE STATEMENT</i> .....	19
	<i>APPENDIX "D" CONTRACT AGREEMENT</i> .....	20
	<i>APPENDIX "E" MINIMUM SPECIFICATION</i> .....	23



## 1.0 **SUMMARY OF OPPORTUNITY**

The Regional District of Fraser-Fort George is requesting Proposals from qualified manufacturers for the supply and delivery of a frontline water tender for Ferndale Volunteer Fire Department. The proponent will be competent and capable of performing the work. The proponent may be required to provide evidence of previous experience and financial responsibility before a contract is awarded.

Further details as to the scope of this opportunity and the requirements can be found in Appendix "E" of this RFP.

## 2.0 **RFP PROCESS RULES**

### 2.1 Definitions

“Addendum(s)” means all additional information regarding this RFP including amendments to the RFP.

“BC Bid” means the BC Bid website located at [www.bcbid.ca](http://www.bcbid.ca).

“Board” means the Board of the Regional District.

“Closing Location” includes the location or email address for submissions indicated on the cover page of this RFP, or BC Bid, as applicable.

“Closing Time” means the closing time and date for this RFP as set out on the cover page of this RFP.

“Contract” means the written agreement resulting from this Request for Proposal, if any, in accordance with this Request for Proposal.

“Contractor” means the successful Proponent to the RFP who enters into a Contract with the Regional District.

“Must” means a requirement that must be met in order for the Proposal to receive consideration.

“Project Manager” means the Regional District’s representative.

“Proponent” means the person submitting a Proposal.

“Proposal” means a submission in response to this request for Proposals.

“Regional District” means the Regional District of Fraser-Fort George.

“Request for Proposals” or “RFP” means the request for proposals described in this document, including any attached or referenced appendices, schedules or exhibits and as may be modified in writing from time to time by the Regional District by Addendum(s).

“Should”, or “may” means a requirement having a significant degree of importance to the objective of the request for Proposals, but which the Regional District would strongly prefer to be fulfilled, and which the Regional District may in its sole discretion elect to treat the failure to fulfill as a



grounds for rejection of a Proposal.

**2.2 Acceptance of Terms and Conditions**

Submitting a Proposal indicates acceptance of all the terms and conditions set out in the RFP, including those that follow and that are included in all appendices and any Addendum(s).

**2.3 Submission of Proposal**

Proposals must be submitted before Closing Time using one of the submission methods set out on page 2 of this RFP. Proposals must not be sent by fax. The Proponent is solely responsible for ensuring that, regardless of submission method selected, the Regional District receives a complete Proposal, including all attachments or enclosures, before the Closing Time.

**2.4 Errors, Omissions, Clarifications**

It is the sole responsibility of the Proponent to ascertain that they have received a full set of RFP documents. Upon submission of their Proposal, the Proponent will be deemed conclusively to have been in possession of a full set of RFP documents.

Proponents finding discrepancies, errors, or omissions in this RFP, or requiring clarification on the meaning or intent of any part therein, should immediately request clarification from the Project Manager, by email to: [bseitz@rdffg.bc.ca](mailto:bseitz@rdffg.bc.ca).

All requests for clarification or inquiries must be made by February 19, 2026 at 4:00 p.m. in order that addendum(s), if necessary, are issued in time for all Proponents to complete their Proposal submission and have it delivered to the Regional District office prior to the closing time on the submission date.

If the Regional District, in the Regional District's sole discretion, determines that a clarification, addition, deletion, or revision of the RFP is required then the Regional District will issue an addendum, and the addendum will be posted on the Regional District website and BC Bid.

**It is the sole responsibility of the Proponent to check for addendums.**

**2.5 Late Proposals**

Proposals will be marked with their receipt time at the Closing Location. Only complete Proposals received and marked before the Closing Time will be considered to have been received on time. Proposals received late will be marked late and not considered or evaluated. In case of a dispute, the Proposal receipt time as recorded by the Regional District at the Closing Location will prevail whether accurate or not.

**2.6 Changes to Proposals**

By submitting written notice, the Proponent may amend or withdraw its Proposal before the Closing Time. Proponents should use a consistent submission method for submitting Proposals and any amendments or withdrawals.

**2.7 Conflict of Interest**

When submitting a Proposal, the Proponent must complete, sign and include with their Proposal



a Conflict-of-Interest Disclosure Statement (Appendix "C").

The Regional District may reject a Proposal based on an actual, potential or perceived conflict of interest.

The Regional District may reject any Proposal where:

- a. one or more of the directors, officers, principals, partners, senior management employees, shareholders or owners of the Proponent, is an officer, employee or director of the Regional District or a consultant involved in the procurement process, or is a member of the immediate family of an officer, employee or director of the Regional District or a consultant involved in the procurement process; or
- b. in the case of a Proposal submitted by a Proponent who is an individual person, where that individual is an officer, employee or director of the Regional District or a consultant involved in the procurement process or is a member of the immediate family of an officer, employee or director of the Regional District or a consultant involved in the procurement process.(collectively, "Restricted Parties")

A Proponent who has any concerns regarding whether a current or prospective employee, advisor or member of that Proponent is, or maybe, a Restricted Party, is encouraged to request an advance decision by submitting to the Project Manager, not less than ten working days prior to the Closing Time, by email, the following information:

- (a) names and contact information of the Proponent and the person for which the advance opinion is requested.
- (b) a description of the relationship that raises the possibility or perception of a conflict of interest or unfair advantage; and
- (c) copies of any relevant documentation.

The Regional District may make an advance decision regarding whether the person is a Restricted Party, and whether the Regional District will reject a Proposal based on the information provided.

## 2.8 Rejection of Proposal

The Regional District may, in its sole discretion, reject any and all Proposals, or accept the Proposal deemed most favorable in the interests of the Regional District. The lowest, or any Proposal, will not necessarily be awarded.

Proposals which contain qualifying conditions or otherwise fail to conform to the instructions contained in this RFP may be disqualified or rejected. The Regional District may, however, in its sole discretion, reject or retain for its consideration Proposals which are non-conforming because they do not contain the content or form required by the RFP, or for failure to comply with the process for submission set out in this RFP, whether or not such non-compliance is material.

The Regional District's intent is to enter into a Contract with the Proponent who has submitted the best offer. The Regional District reserves the right to accept any or none of the Proposals submitted and will evaluate Proposals based on the best value offered to the Regional District and not necessarily the lowest price, using the criteria specified in this RFP. The Regional District reserves the right in its sole unrestricted discretion to:



- a. accept any Proposal which the Regional District deems most advantageous to itself;
- b. reject any and/or all irregularities in a Proposal submitted;
- c. waive any defect or deficiency in a Proposal whether or not that defect or deficiency materially affects the Proposal and accept that Proposal;
- d. reject any and/or all Proposals for any reason, without discussion with the Proponent(s);
- e. accept a Proposal which is not the lowest Proposal; and
- f. cancel or reissue the RFP without any changes.

Without limiting any other provision of this RFP, the Regional District may, in its sole discretion, reject a Proposal submitted by a Proponent, if the Proponent or any officer or director of a corporate Proponent, is, or has been within a period of two years prior to the Closing Time, engaged either directly or indirectly through another corporation or legal entity in a legal proceeding initiated in any court against the Regional District in relation to any contract with, or works or services provided to the Regional District.

**2.9 Liability for Errors**

The Regional District will not be responsible for any costs incurred by Proponents as a result of the preparation or submission of a Proposal pertaining to this RFP. The accuracy and completeness of the Proposal is the Proponent's responsibility. If errors are discovered, they will be corrected by the Proponent at their expense.

Proponents acknowledge that the Regional District, in the preparation of the RFP supply of oral or written information to Proponents, review of Proposals or the carrying out the Regional District's responsibilities under this RFP, does not owe a duty of care to the Proponents.

**2.10 Limitation of Liability**

Each Proponent, by submitting a Proposal, irrevocably waives any claim, action, or proceeding against the Regional District including without limitation any judicial review or injunction application or against any of the Regional District's employees, advisors or representatives for damages, expenses or costs including costs of Proposal preparation, loss of profits, loss of opportunity or any consequential loss for any reason including: any actual or alleged unfairness on the part of the Regional District at any stage of the Request for Proposal process; if the Regional District does not award or execute a contract; or, if the Regional District is subsequently determined to have accepted a noncompliant Proposal or otherwise not complied with the terms of this Request for Proposals, with the exception of fraud on the Regional District's part.

**2.11 Ownership of Proposals and Freedom of Information**

Proposals will be received and held in confidence by the Regional District, subject to the provisions of the *Freedom of Information and Protection of Privacy Act* and this RFP. Each Proposal should clearly identify any information that is considered to be confidential or proprietary information.

All documents, including Proposals, submitted to the Regional District become the property of the Regional District.

As an exception to Proposals being received and held in confidence, Proponents are advised and acknowledge that any contract entered into as a result of this Proposal may be subject to Board



approval, which may be discussed and voted on at a meeting of the Board that is open to the public. If Board approval is required, details of Proposals, including but not limited to proposed or negotiated fees, may be provided to the Board in a publicly available staff report, discussed at a Council meeting that is open to the public, and posted on a publicly available electronic agenda on the Regional District's website.

**2.12 Confidentiality**

In accordance with the Freedom of Information and Protection of Privacy Act, the Proponents will treat as confidential and will not, without prior written consent of the Regional District, publish, release, or disclose, or permit to be published, released, or disclosed, any information supplied to, obtained by, or which comes to the knowledge of the Proponents as a result of this RFP except insofar as such publication, release or disclosure is required by the laws of British Columbia.

**2.13 Not a Tender**

This RFP is not a tender call, and neither it nor the submission of any response to this RFP creates a tender process or a "Contract A".

**3.0 PROPOSAL FORMAT**

The following format and sequence should be followed in order to provide consistency in responses and to ensure each Proposal receives full and complete consideration. All pages should be consecutively numbered.

- a. Title page, including RFP number and title, Proponent's name and address, telephone number, email address, and contact representative.
- b. One-page letter of introduction **SIGNED** by the authorized signatory of the Proponent.
- c. Table of contents including page numbers.
- d. A summary of the key features of the Proposal, including any suggested changes and reasons or justifications for the suggested changes.
- e. Completed Appendix "A", Schedule of Prices (All Proponents should use this form).
- f. Completed Appendix "B", Good and Services Tax Information.
- g. Completed and signed Appendix "C", Conflict of Interest Disclosure Statement.
- h. Completed Appendix "E", Minimum Specifications.
- i. Workplan including start date, milestones, and project completion date.
- j. Three references that may be contacted for the purpose of confirming your company's experience.
- k. **All amendments and Addendum(s), if any, issued for this RFP. Each amendment and Addendum(s) should be signed by the Proponent and included with the Proposal and will form part of the Proposal and Contract.**



## 4.0 **PROPOSAL EVALUATION**

### 4.1 Proposal Evaluation

All Proposals will be evaluated by the Regional District to assess the qualifications and capabilities of Proponents to meet the minimum standards specified in the RFP, and to determine that which is most favorable to the interests of the Regional District. Proposals will be assessed by a committee formed by the Regional District.

### 4.2 Selected Proponent Negotiations

The Regional District, at its sole discretion, may enter into contract negotiations with a selected Proponent, or Proponents, based only on the evaluation of the written Proposal(s), and/or an evaluation of, the combination of the written Proposals and/or detailed discussions.

The Regional District may enter into negotiations with any Proponent without requiring any other Proponents to make any presentations or require any other Proponents to enter into detailed discussions with the Regional District.

### 4.3 Termination of Negotiations and/or RFP Process

The Regional District may terminate contract negotiations with any Proponent, and to enter into contract negotiations with any other Proponent if, in the opinion of the Regional District at any time, the contract negotiations with the initially selected Proponent will not be satisfactorily completed in the best interests of the Regional District. The Regional District may, at its sole discretion, reject any or all Proposals at any time throughout the Proposal evaluation, Proponent selection, or contract negotiation process.

### 4.4 Compliance with RFP Requirements

All the terms and conditions of this RFP are assumed to be accepted by the Proponent and incorporated in its Proposal.

All items in the Proposal that are not in full compliance, or that vary from the specific requirements, should be clearly identified in the Proposal as non-compliant and/or variant, and should include specific reference to the relevant section in the RFP and the precise nature of the variance or non-compliance. Non- compliance or variances with the specific RFP requirements will not necessarily result in rejection of a Proposal.

The acceptance or rejection of all non-compliant items, and/or variances to the RFP requirements, will be at the sole discretion of the Regional District, without any obligation by the Regional District to either request clarifications, enter into detailed discussions, or negotiations with the Proponent(s).

## 5.0 **SELECTION AND EVALUATION**

### 5.1 Selection Criteria

The following are the criteria and the percentage of the total score for each criterion that will be used by the Regional District to select a Proponent. The list of criteria is not in any particular order of priority. The Regional District, in its sole judgment, will base the selection of a successful



Proponent on a combination of the criteria.

#### 5.2 Evaluation criteria:

<b>TITLE</b>	
<b>EVALUATION CRITERIA</b>	<b>WEIGHT</b>
Relevant Experience and References	20
Compliance with RFP Requirements and Appendix E “Minimum Specifications”	30
Nearest Service Facility	5
Price	45
<b>Total</b>	<b>100</b>

### 6.0 **CONTRACT**

#### 6.1 Form of Contract

The proponent will be required to enter into a service agreement prior to commencing work and subject to negotiation between the Regional District and the Proponent. The contract will include this RFP, Conflict of Interest Disclosure Statement, all appendices, amendments and Addendum(s), as well as the successful Proponent's submission.

The successful Proponent will also have to meet the following requirements:

- Be compliant with BC Occupational Health and Safety statutes and supply a WorkSafeBC Clearance Letter.
- Meet a number of insurance provisions including Commercial General Liability in an amount of at least \$5,000,000 and appropriate owned and non-owned automobile insurance coverage if automobile use is required.
- All materials produced will become the exclusive property of the Regional District.

#### 6.2 Performance Bond and Labour and Materials Bond

The successful bidder shall deposit, with the Regional District, when signing the Contract a Performance Bond and Labour and Materials Payment Bond as per section 3 in the sample contract in Appendix “D” included with this RFP.

#### 6.3 Notification

The Regional District, in its sole judgment, may delay the award of Contract date as deemed appropriate by the Regional District.

### 7.0 **CONTRACT PRICE**

APPENDIX “A” – SCHEDULE OF PRICES must be completed, signed, and included in the Proposal submission. All prices for the work should be stated in Canadian dollars. Taxes should be shown as separate line items on the Schedule of Prices. Any applicable Federal or Provincial taxes, or levies, must be included in the Total Contract Price.



## **8.0 CHANGES**

The Regional District, without invalidating the Contract, may make changes by altering, adding to, or deducting from the work. The Proponent will proceed with the work as changed and the work will be executed under the provisions of the Contract. No changes will be undertaken by the Proponent without written order of the Regional District, except in an emergency endangering life or property, and no claims for additional compensation will be valid unless the change was so ordered. The Regional District will entertain no payment for extra work or changes in the Contract unless a "Change Order" form is completed and signed by the Regional District and the Proponent.

If, in the opinion of the Regional District, such changes affect the Total Contract Price, the Total Contract Price amount will be adjusted at the time of ordering the changes. The value of the addition or deduction from the Total Contract Price will be decided by the Regional District based on a lump sum estimate submitted by the Proponent and accepted by the Regional District.

## **9.0 LICENSES AND PERMITS**

The Proponent shall, at their expense, obtain all licenses, permits, approvals, and insurance required under the laws of the Province of British Columbia with regard to its own activity under the Contract.

## **10.0 DAMAGE TO EXISTING PROPERTY OF FACILITY**

In the event of damage to the Regional District's facility or property arising from actions of the Proponent the procedure will be as follows:

1. The Proponent will immediately advise the Regional District of any damage to the Regional District's facility or property.
2. Upon investigation, the Regional District will notify the Proponent of damages to be repaired.
3. If the Proponent does not reply within twenty-four (24) hours, the Regional District will repair, to the appropriate specifications or regulations, and deduct the cost of the repair from payment to the Proponent.

## **11.0 WORKSAFEBC**

The Proponent will use due care and take all necessary precautions to assure the protection of persons or property at the Site and will comply with the *Workers' Compensation Act* of the Province of British Columbia.

Prior to undertaking any of the work, the Proponent will provide its WorkSafeBC number and will keep current all assessments required by WorkSafeBC in relation to, and for, the duration of the work. The Proponent will provide a clearance letter from WorkSafeBC to the Regional District prior to commencement of the work.

## **12.0 RIGHTS OF WAIVER**

A waiver, or any breach of provision of this RFP will not constitute or operate as a waiver, or any other breach, of any other provisions, nor will any failure to enforce any provision herein operate as a waiver of such provisions or of any other provisions.



## **13.0 SEVERABILITY**

All paragraphs of the Contract are severable one from the other. Should a court of competent jurisdiction find that any one or more paragraphs herein are void; the validity of the remaining paragraphs hereof will not be affected.

## **14.0 COMPLIANCE WITH LAWS AND REGULATIONS**

The completed apparatus must comply with all relevant Federal and British Columbia motor vehicle laws and regulations and British Columbia's WorkSafeBC Regulations prior to delivery.

British Columbia Motor Vehicle Inspection to be completed prior to apparatus delivery (see 16.2 for delivery terms).

## **15.0 WARRANTY, INSURANCE AND INDEMNITY**

### **15.1 Manufacturer's Insurance**

The successful proponent (the "Proponent") will be expected to satisfy the Regional District that sufficient insurance is provided to protect the Regional District's direct investment in the event the vehicle is damaged or destroyed prior to delivery.

### **15.2 Indemnity**

The Proponent shall release, indemnify, defend and save harmless the Regional District, its officers, employees, servants, and agents of and from all claims, costs, losses, damages, actions, classes of action, expenses and costs arising out of or relating to the Proponent's breach of this Contract or the negligent acts or omissions of the Proponent or its employees, consultants or agents.

## **16.0 DELIVERY AND PAYMENT**

### **16.1 Delivery Timetable**

Proponents must indicate the anticipated schedule for the delivery of the apparatus to the location provided by RDFFG.

### **16.2 Delivery Terms**

The successful proponent will be expected to deliver the vehicle based on Delivery Duty Paid (DDP), with the destination referred to RDFFG designated site in the delivery timetable. Modification of delivery terms can only occur with pre-approval from the Regional District.

### **16.3 Late Delivery**

The Proponent will be required to notify the Regional District if, during the construction process, there is any change in the delivery date provided in the Contract and the reason behind the change in delivery date.



#### **16.4 Contract Price**

All prices for the completed apparatus shall be stated in Canadian dollars. Any applicable Federal or Provincial taxes or levies must be included in the proposal response and are to be listed separately from the contract price. Appendix A – Schedule of Prices, must be completed and included in the proposal package.

#### **16.5 Payment Schedule**

Proponents will outline the proposed payment schedule with sufficient detail so as to allow evaluation by the Regional District of when progress payments, if applicable, may become due.

#### **16.6 Holdback on Delivery**

In the event it is determined that the completed apparatus does not meet the specifications outlined in the Contract or that the completed vehicle is deficient in any way, the Regional District may, at the time of delivery, hold back sufficient funds to ensure compliance, see Appendix D section 3. The amount of the holdback, if any, and the provisions for the release of funds shall be subject to discussion between the Regional District and the Proponent. The remedy of any discrepancies and/or deficiencies by the Proponent must occur within a reasonable period of time, to the satisfaction of the Regional District.

### **17.0 DISPUTE RESOLUTION**

If a claim, dispute, or controversy arises out of or relates to the interpretation, application, enforcement, or performance of Services under this Contract, the Proponent and the Regional District agree first to try in good faith to settle the dispute by negotiations between senior management of the Proponent and the Regional District. If such negotiations are unsuccessful, the Proponent and the Regional District agree to attempt to settle the dispute by arbitration if both parties agree. If the dispute cannot be settled through arbitration, the Proponent and the Regional District may agree to attempt to settle the dispute through good faith mediation. If the dispute cannot be resolved through mediation and unless otherwise mutually agreed, the dispute shall be settled by litigation in an appropriate court in the Province of the Regional District.

### **18.0 FORCE MAJEURE**

If either the Proponent or the Regional District are prevented from performing their obligations under the Contract, or where the Regional District's work in respect of which the Proponent is providing Services cannot be performed, because of an act of God, an act of a legislative, administrative or judicial entity, fire, flood, labour strike or lock-out, epidemic, unusually severe weather, or other similar cause outside of the control of the Parties (collectively "Force Majeure"), then the obligations of the Proponent and the Regional District under the Contract shall be suspended for so long as the condition constituting Force Majeure continues. The Party affected by Force Majeure shall provide the other Party with notice of the anticipated duration of the Force Majeure event, any actions being taken by the Party providing notice to avoid or minimize the effect of the Force Majeure event, and shall make reasonable efforts to remove or mitigate the effects of the condition constituting Force Majeure. Upon the termination of the Force Majeure event, the Regional District shall grant to the Proponent a time extension for performance of any milestone dates required as part of the Services as may be agreed with the Proponent or, if the Regional District and the Proponent are unable to reach agreement, as determined by the dispute resolution process under Section 17 of the Contract. Where as a result of Force Majeure there is a material increase in the Proponent's cost of or the time required for the performance of the Services that



is not offset by a decrease in cost, then the Regional District shall increase the amount of the service fee payable to the Proponent under Section 15 of this Contract, as may be agreed by the Proponent, or as determined under Section 16 of the Contract. If the event of Force Majeure results in a material increase in the cost of the work to be performed in respect of which the Proponent is providing the Services, then the Regional District may choose not to proceed with the completion of the work and may terminate this Contract. If the Regional District terminates this Contract following the termination of the Force Majeure event, then it shall compensate the Proponent in accordance with Section 18.1 of this Contract.

## **19.0 NOTICE OF DEFAULT**

If the Proponent is in default of the performance of any of its material obligations set out in the Contract, the Regional District may, by written notice to the Proponent, require such default to be corrected. If within fifteen (15) days' receipt of such notice the default has not been corrected or reasonable steps, as determined by the Regional District in its sole discretion, have not been taken to correct the default, the Regional District without limiting any other right it may have, may immediately terminate the Contract.

- 19.1 The Regional District shall compensate the Contractor for all Services performed hereunder through the date of any termination and all-reasonable costs and expenses incurred by the Contractor in effecting the termination. All drawings, plans or other documents resulting from the Services, whether complete or in a draft form, produced by the Contractor prior to the termination of the Contract, will be provided to the Regional District within ten (10) business days of the termination date.



**APPENDIX "A"**  
**SCHEDULE OF PRICES**

Price submitted below reflects the full cost, excluding taxes, of the Ferndale Frontline Water Tender as specified in RFP PS-26-02 Appendix "E" Minimum Specifications for Ferndale Water Tender. This price sheet must accompany the bid package submitted.

Contract Price (not including taxes) \$ \_\_\_\_\_

GST \$ \_\_\_\_\_

PST \$ \_\_\_\_\_

Other (please specify) \$ \_\_\_\_\_

**TOTAL** \$ \_\_\_\_\_

State Delivery Date being Submitted: \_\_\_\_\_

Nearest Service Facility \_\_\_\_\_

---

Authorized Signatory Signature

---

Name of Proponent

---

Name (Please print)

---

Address

---

Title

---

City, Province, Postal Code

---

Phone Number

---

Email

---

Date



**APPENDIX "B"**  
**GOODS AND SERVICES TAX INFORMATION**

Supplier: \_\_\_\_\_  
Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Province \_\_\_\_\_

Postal Code \_\_\_\_\_ Phone Number \_\_\_\_\_

Are you a GST Registrant? Yes \_\_\_\_\_ No \_\_\_\_\_

If YES, please indicate your registration number: \_\_\_\_\_

If NO, Please fill in the following (check appropriate box):

Supplier qualifies as a small supplier under s.148 of the legislation

Other: Specify \_\_\_\_\_

WorkSafe BC Registration Number: \_\_\_\_\_

\_\_\_\_\_  
Signature of Authorized Person \_\_\_\_\_ Print Name \_\_\_\_\_

\_\_\_\_\_  
Title \_\_\_\_\_ Date \_\_\_\_\_



**APPENDIX "C"**  
**CONFLICT OF INTEREST DISCLOSURE STATEMENT**

RFP PS-26-02  
Ferndale Frontline Water Tender

Proponent Name: \_\_\_\_\_

The Proponent, including its officers, employees, and any person or other entity working on behalf of or in conjunction with, the Proponent on this Procurement Process:

- is free of any conflict of interest that could be perceived to improperly influence the outcome of this procurement process.
- has not, and will not, participate in any improper procurement practices that can provide the Proponent with an unfair competitive advantage including obtaining and using insider type information to prepare a solicitation offer or participating in bid rigging.
- has an actual, perceived or potential conflict of interest regarding this procurement process as a result of:

State reason(s) for Conflict of Interest:

---

---

---

---

By signing below, I certify that all statements made on this form are true and correct to the best of my knowledge.

---

Print Name of Person Signing Disclosure

---

Authorized Representative of:



**APPENDIX "D"**  
**CONTRACT AGREEMENT**

**SAMPLE CONTRACT**

BETWEEN:

**REGIONAL DISTRICT OF FRASER-FORT GEORGE**

a local Government incorporated pursuant to *Local Government Act*  
and having its business office located at:  
155 George Street  
Prince George, BC, V2L 1P8

(hereinafter called the "Regional District")

OF THE FIRST PART

AND

**THE PROONENT**

a company duly incorporated under the laws of *Province*  
and having its business office located at:  
*Street Address*  
*City, Province, Postal Code*

(hereinafter called the "Contractor")

OF THE SECOND PART

WITNESSETH that the Proponent and the Regional District undertake and agree as follows:

1. The Proponent will:
  - (a) Provide all necessary labour, equipment, transportation, materials, supervision, and services to perform all of the work, and fulfill everything as set forth in, and in strict accordance with, the contract documents for the supply of a new frontline engine for the Valemount Volunteer Fire Department.
  - (b) Commence to actively proceed with the build of the new frontline engine upon execution of the Contract and complete the work on or before \_\_\_\_\_.
2. The Regional District will pay to the Proponent, as full compensation for the performance and fulfillment of this Contract, \$ \_\_\_\_\_ (plus applicable taxes) in Canadian funds. Payment will be made within 30 days of receipt by the Regional District of a proper invoice for the new frontline engine in accordance with the Contract, unless other payment terms are specified in the Proponent's proposal and are acceptable to the Regional District.
3. Performance Security:  
The successful bidder shall deposit, with the Regional District, when signing the Contract, the following:



**Performance Bond:**

A Performance Bond in the amount of fifty percent (50%) of the tendered price; and a

**Labour and Materials Payment Bond:**

A Labour and Materials Payment Bond in the amount of fifty percent (50%) of the tendered price

In the event of any breach, default, or non-performance by the successful bidder proponent causing loss to the Regional District, then the Regional District may enforce the Labour and Materials Payment Bond, and/or Performance Bond as liquidated damages.

The Regional District may, in its sole discretion hold back payment(s) otherwise due to the Proponent, on account of deficient work. This holdback may be held, without interest, until such deficiency is remedied. The items of deficiency and the amounts of related holdback shall be listed by the Regional District and notice given to the Proponent within seven (7) days of receipt of invoice.

4. The Request for Proposal, including Appendices A, B, C, and E, amendments and addenda if any, Proponent's proposal submission, and any information that the Proponent provides are incorporated herein, to the intent and purpose as though recited in full herein, and the whole will form the Contract and will ensure to the benefit of, and be binding upon, the parties hereto and their successors, executors, administrators, and assigns.

5. The Proponent, by signing this Contract and by completing Appendix C, Conflict of Interest Disclosure Statement, further affirms that no conflict of interest exists or prevents their entering into this Contract.

6. In the event of a dispute between the Regional District and the Proponent, this Contract will be governed by, and will be construed and interpreted in accordance with, all the laws of the Province of British Columbia.

7. The Proponent will adhere to the warranty conditions outlined in the Proponent's proposal submission and as outlined in section 8 below.

8. The warranty provisions are as follows:

a. To be completed based on the Proponent's proposal submission.

9. No implied contract of any kind whatsoever, by or on behalf of the Regional District, will arise or be implied from anything contained in this Contract or from any position or situation of the parties at any time, it being understood and agreed that the express contracts, covenants and agreements made herein by the parties hereto are, and will be, the only contract, covenants and agreements on which any rights against the Regional District may be founded.

10. Subject to Section 8, this Contract will supersede all communications, negotiations, and agreements, either written or verbal, made between the parties hereto in respect of matters pertaining to this Contract prior to the execution and delivery hereof.

11. All communications in writing between the parties will be deemed to have been received by the addressee if delivered to the individual, or to a member of a firm, or to the Project Manager of the Regional District for whom they are intended, or if sent by hand delivery, mail or registered mail as follows:



---

Proponent Name and Address  
Bonnie Seitz, Community Services Leader  
Regional District of Fraser-Fort George  
155 George Street  
Prince George BC V2L 1P8.

12. Where it is beyond control of the Proponent to meet the completion date as stipulated herein, the Proponent must immediately notify the Regional District in writing. It shall be at the Regional District's sole discretion to extend the completion date or waive any part or clause of this Contract.

IN WITNESS WHEREOF the parties have duly executed this Contract. SIGNED ON BEHALF OF THE

**REGIONAL DISTRICT OF FRASER-FORT GEORGE**

---

Chair

---

Date

---

General Manager of Legislative and  
Corporate Services

---

Date

**PROPOSER**

---

Signature

---

Signature

---

Name

---

Name

---

Title

---

Title

---

Date

---

Date

**APPENDIX "E"**  
**MINIMUM SPECIFICATION**

If the unit is non-compliant on any of these specifications as outlined in Appendix "E", then the third column on this form MUST be completed detailing what the variation being supplied is and the reason for the variation.

APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
<b>CAB &amp; CHASSIS</b>				
1.	Preference is for Freightliner M2 112 single axle or equivalent meeting or exceeding the mandatory performance, safety, ULC/NFPA requirements. To have seating provided for two			
2.	Headlights and taillights to be LED heated			
3.	Electric adjustable driver's seat and electric adjustable officer's seat.			
4.	All side windows to be electrically controlled, with the driver's window switch near the driver's window to be within easy reach of the driver. Control switch for each window to be located at each window.			
5.	All seating positions to be BC WCB compliant. Whiplash protection must be provided for a fire fighter having a height of 6' 5" at a minimum. The seats providing whiplash protection must provide support to the head. The height of the back of the seat, or adjustable headrest, must be such that the top of the seat or headrest is above the top of the fire fighter's ear (perpendicular to the seat).			
6.	Two driving lights, to be flush mounted in front chrome bumper (see Appendix "D" for light specifications).			
7.	All bumper cut-outs to be completed prior to the chroming of bumper.			
8.	Provide for secure firefighter helmet storage in cab for all seated positions. Talon Helmet Mounts by "On Scene Solutions" is preferred.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
9.	Two K & H Galco Night Ray remote-controlled lights, to be installed on cab roof near the rear of the cab, with dual remote controls; one set of controls in the cab and one set of controls at the pump panel or wireless controls			
10.	To have Racor fuel filter with primer pump, or electric primer pump.			
11.	75-gal fuel tank drivers' side and 20-gal DEF tank drivers' side			
12.	LED lights in engine compartment			
13.	AM FM Radio			
14.	Remote booster studs within easy reach from outside of truck on the driver's side			
15.	Provide one 1500-watt inverter, battery charger and transfer switch, to be installed with 120-volt outlets in the cab location. To be hooked up to ignition switch only running when ignition is on. Final location to be determined at pre-construction meeting.			
16.	Provide console between seats to hold two radios, map binder and cencom emergency switches.			
17.	Install two radios in the cab and one remote head at the pump panel. Radios to be supplied by fire department.			
18.	Windows to be tinted.			
19.	Shore airline and electric plug to be by driver's door but not in the way of getting in and out of the cab			
20.	Plate with all fluid types and amounts on inside of driver's door			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
21.	500 HP Detroit c/w in head Jacob's engine brake. Fire service application, with synthetic oil, diesel.			
22.	Fire Department to be supplied with all the equipment needed to do manual re-generation of exhaust, unless an engine without a re-generation system can be purchased.			
23.	No Block heater			
24.	Prefer engine to be provided without exhaust re-generation system. State what is being provided _____.			
25.	Sun visors both sides.			
26.	Park brake warning light.			
27.	Engine hour gauge.			
28.	Door protection – lower scuff plates.			
29.	Heaters and defrosters and A/C to have maximum output available.			
30.	Cab sound proofs to 80 dbls.			
31.	Two handrails at each door, minimum 30" of usable rail.			
32.	Master battery disconnect switch installed in cab driver's side. Location to be finalized at pre-construction meeting.			
33.	The interior map reading light to be red with high and low settings.			
34.	Mud flaps front and rear.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
35.	Clear emergency lights to shut off when parking brake is applied.			
36.	Two closed tow loops to be installed at front of truck.			
37.	Two closed tow loops to be installed at the rear of truck.			
38.	Air controlled fan hub, fail on with manual dash control with light on dash (when pump in gear fan comes on automatically, if fan quits while driving can switch on manually).			
39.	Safety warning system with buzzer.			
40.	Auxiliary engine cooler.			
41.	Air filter restriction gauge mounted in engine compartment.			
42.	High idle switch with cruise control option.			
43.	5" Exhaust to discharge to right side ahead of rear wheels.to have Plymovent magnetic hook up			
44.	Provide minimum of 300-amp alternator, must be available in BC.			
45.	Provide three 12-volt batteries at a minimum, to be heavy duty commercial batteries.			
46.	Allison 4000 EVS automatic transmission or better, set-up for the fire service, electronic shift selector, with synthetic oil. Programmed for 6-5-4-3-2 auto downshift.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
47.	Dual air horn; to be mounted left and right side of hood. To be controlled by both driver and passenger with pull cables on both sides			
48.	Dual bright mirrors heated and remote controlled, with 8" bottom convex.			
49.	Steering wheel to be tilt and telescoping.			
50.	All wiring to be protected by auto-resetting circuit breakers.			
51.	Full line of dash gauges to be provided.			
52.	To supply a "winter front" and "bug screen".			
53.	2 – 10" led driving lights in bumper aimed out 1 ½ degrees to edge of road			
<b>AIR BRAKES</b>				
1.	ABS air brakes with auto slack adjusters. Haldex required.			
2.	Air dryer with heater. State what type is being provided_____.			
3.	Air compressor 18.7 CFM or larger. c/w aux air tank			
4.	Pressure relief valves on air compressor and air dryer.			
5.	Air tank drains to be mounted below pump panel with quarter turn valves			
6.	Provide Midland alcohol injector.			
7.	Service brake relay valve.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
8.	Spring brake relay valve with anti-compound.			
9.	NFPA rapid air build-up system, with shoreline air connection, with check valve on air tank, located by driver's door.			
10.	Spring brake modulation valve.			
11.	S-cam brakes front and rear, extended life rated.			
12.	Front air brakes, minimum 16.5 x 6 size brake shoes, non-asbestos brake lining.			
13.	Rear air brakes, minimum 16.5 x 7 size brake shoes, non-asbestos lining.			
<b>AXLES – FRONT AND REAR</b>				
1.	Manufacturer to recommend minimum front axle rating required. 18,000lb Axle and suspension must be rated higher than the heaviest loaded weight at a minimum. With synthetic oil. State what size and make of axle is being provided _____.			
2.	24,,000 lb. minimum rear axle rating required. Axle and suspension must be rated higher than the heaviest loaded weight at a minimum air ride suspension. With synthetic oil. Rear axle ratio to be set for maximum speed of 130km/hr.			
3.	10 stud pilot hubs with steel brake drums; front and rear.			
4.	Synthetic oil for hubs.			
5.	Front and rear dust shields.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
6.	Mud and snow tires to be provided. Front tires to be Michelin M/S. Rear tires to be Michelin M/S.			
7.	Tires and rims to match axle ratings. Tires must meet NFPA severe-service requirements. Rims to be aluminum. State the brand of rim that is being provided _____.			
8.	Driver controlled differential lock up with dash lights			
<b>DIMENSIONS – State actual measurement in blank provided.</b>				
1.	State total width of unit: _____.			
2.	State total loaded weight of unit: _____.			
3.	State actual wheelbase of unit: _____.			
4.	Length of unit – prefer not to exceed 30 feet. State actual overall length of unit: _____.			
5.	State actual overall height of unloaded unit: _____.			
<b>FIRE PUMP</b>				
1.	Darley 1050 GPM pump with pump and roll, To be controlled from pump panel in L1 compartment.			
2.	Submit driveline analysis with bid. No exception.			
3.	State driveline size			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
<b>PLUMBING AND CONTROLS</b>				
1.	Aluminum pump module with stainless steel panels.			
2.	Panel layout to be color coded and labeled. Colors to be strong contrast for better visibility at night.			
3.	Pump access panels on side of module. Top side panels to be hinged.			
4.	Pump panel with lever controls. Control rods are required.			
5.	All plumbing and valves to be galvanized steel. No exception.			
6.	Two 6" suction intakes, one on each side of truck. Both 6" intakes to come with electric valves located inside of pump panel, electric control at pump panel. To include two adaptors from 6" steamer port to 4" Storz fitting. Electric valves to be Hale Master Intake Valves on both sides, with gauges on pump panel and bleeder valves to be located at the valve and on the pump panel for both 6" suctions. Bleeder valves are to exhaust outside of the pump panel, within sight of the pump operator.			
7.	One 2 1/2" gated intake, with valve, on left side.			
8.	Provide for one 1 3/4" cross lay preconnected line, to be located above pump panel. This preconnected hose bed must be designed to hold 200 feet of 1 3/4" double jacket structural fire hose. Hose lay to be accessible from both sides of truck. The width of each hose bed to be wide enough to provide ample room for nozzle and handle of nozzle. Exact width to be discussed and finalized at preconstruction meeting. Pre-connect hose bed cover to be provided.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
9.	Provide for one 2 1/2" cross lay preconnected line, to be located behind the One 1 3/4" cross lay. This preconnected hose bed must be designed to hold 200 feet of 2 1/2" double jacket structural fire hose. Hose lays to be accessible from both sides of truck. The width of each hose bed to be wide enough to provide ample room for nozzle and handle of nozzle. Exact width to be discussed and finalized at preconstruction meeting. Pre-connect hose bed cover to be provided.			
10.	One 2 1/2" gated intake, with valve, on right side.			
11.	One 4" tank to pump, with check valve, with electric valve, electric control at pump panel and electric control in the cab within reach of the driver.			
12.	One 3" tank fill, with electric valve, electric control on pump panel.			
13.	One 2 1/2" gated discharge, with valve, on left side, with 30" elbow			
14.	One 2 1/2" gated discharge, mounted straight out at front of truck on bumper			
15.	One 2 1/2" gated discharge, with valve, on right side, with 30" elbow			
16.	One 2 1/2" gated discharge, to be located at rear of truck			
17.	One 2 1/2" gated discharge, located on the left side			
18.	One 2 1/2" gated discharge, located on the right side			
19.	One 3" discharge plumbed and capped for future use with a deck gun.			
20.	Foam system to be provided; Foam Pro 2002			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
21.	Foam is to be plumbed to the one 1 ¾" pre-connect line, to one of the 2 ½" preconnected line, to the monitor, and to the right side 2 ½" discharge.			
22.	One 4" gated intake, with electric valve, located at rear of truck. Valve to be operated from pump panel. Valve to be inside of pump compartment, to have gauge located at pump panel, to have bleeder valve at pump panel, discharge of water to be within sight of pump operator.			
23.	One 4" direct tank fill at rear on truck.			
24.	Tank water level gauges to be located: (1) One at the pump panel, (1) one on the right side and (1) at the rear			
25.	All 4" intakes to have bleeder valves at the pump panel with discharges out where the pump operator can see the water discharging.			
26.	One 4" gated discharge, with electric valve, on left side, with 30-degree elbow. 4" Storz fitting to be provided.			
27.	One 4" gated discharge, with electric valve, on right side, with 30-degree elbow. 4" Storz fitting to be provided.			
28.	All discharges to have drain valves, including pre-connects.			
29.	One 30-gallon foam tank to be provided and installed. With a ground level fill			
30.	Heater to be below pump area. Belly pan to be easily removable. State type and size of heater being provided _____.			
31.	Heated and closed in pump compartment, with easy access panel for maintenance.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
32.	Intelli-tank water tank and foam tank gauges. Class 1 gauges required.			
33.	Electronic pump discharge pressure control system.			
34.	Class I engine throttle/pressure relief system.			
35.	Class 1 "Enfo 1 V" engine display.			
36.	Control of all valves at pump panel.			
37.	Pump pressure and compound gauges 4.5" Class 1 Sub Zero II gauges.			
38.	All discharge gauges 2.5" Class 1 Sub Zero II gauges (mount above control).			
39.	All gauges to be in Imperial units only.			
40.	Thermo relief valves on pump.			
41.	Maximum panel lighting with switch on panel. Lighting to be provided will be Amdor Luma Bar LED lights.			
42.	Fan control switch for pump compartment heater.			
43.	Switch for pump compartment light, to be located at pump panel.			
44.	Primer control. Primer to be air.			
45.	Engine cooler control valve.			
46.	Pump hour meter.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
47.	Test Ports For: Pressure and Vacuum gauges.			
48.	Akron valves preferred or approved equivalent.			
49.	All valves to be located inside of heated pump compartment.			
50.	All valves to have bleeder drain valves to drain hose pressure, located at valve. Control of bleeder valves for all 4" intakes to be located at pump panel and at the valve. Bleeder discharges to be within the view of the pump operator.			
51.	One 12" 3-way swivel dump shoot with electric control valve with controls on both sides of truck.			
52.	Weather stripping to be provided around pump control handles.			
53.	Pump, valves and piping to be painted black.			
54.	All intakes and discharges to have 30 degrees down, control panel back plate to be removeable for maintenance			
<b>HOSE BED</b>				
1.	Five adjustable and removable hose bed dividers.			
2.	Interlocking plastic grating on floor – turtle tile, to be loose on floor and removable for ease of cleaning. Grating to have small sized holes.			
3.	Red vinyl hose bed cover, prefer large Velcro strap fasteners at rear of truck. Button snap closures will not be accepted. Bungee cord style cover secure system with hooks along top sides of body is required.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
4.	To be of such a design as to ensure that no sharp edges or angular bolt heads will be in contact with the hose in the hose beds.			
5.	To be capable of storing at a minimum: two lays of 800' of 1 ½" forestry line, 800' of 2 ½" double jacket fire hose, and 800' of 1 ¾" double jacket fire hose.			
6.	Provide a removable divider that is built for install in the hose bed, that is built to store within it four pike poles stacked over each other. The length of this divider will be the same length as the hose bed, which should provide sufficient space for the length of the pike poles being stored.			
<b>BODY</b>				
1.	Modular 3/16 <sup>th</sup> H32 5052 aluminum body.			
2.	All compartment doors to be roll up style, . State what type of roll up doors are being provided: _____. Bottom handle of roll up doors to have reflective material so that reflective material is visible when roll up door is open.			
3.	The front left side compartment L1 to have full height roll up door, to house heated pump compartment.			
4.	Left center compartment L2 to have mounts for 2 2216 Scott SCBAs and two spare bottles on the right side, with the left half of compartment to have (2) adjustable removable shelves.			
5.	. Left rear compartment L3 to have a slide out tray on the bottom, with two adjustable shelves on the upper portion			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
6.	Front right-side compartment R1 below porta tank to have roll out tray, two adjustable shelving.			
7.	All compartments to have removable, interlocking plastic grating and door closing below floor for easy cleaning			
8.	Rear right-side compartment R2 below port-a-tank, To have pullout tray, with adjustable shelving			
9.	Storage compartments to be located on both sides of the apparatus in the wheel wells. To be large as possible.			
10.	The Fire Department would like as many compartments as possible. Compartments to be as deep as possible to take advantage of as much storage space as possible. Manufacturers are encouraged to be creative to take advantage of vacant space and suggest additional compartments.			
11.	Compartment door ajar indicator light and alarm in chassis cab that indicates when there is a compartment door that has not been completely latched.			
12.	All compartment floors and shelves to have easily removable plastic interlocking tiles, loose on floor, and removable for ease of cleaning. To be swept-out design.			
13.	Air vents to be in each compartment.			
14.	Floors built to prevent "oil canning".			
15.	State the rated weight capacity of the compartments _____ lbs.			
16.	State rated weight capacity of the shelves _____ lbs.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
17.	State rated weight capacity of slide out trays _____ lbs.			
18.	Sweep out compartment floors with bottom edge lower than compartment floor. No exception.			
19.	All extendable lights to be controlled at ground level.			
20.	Aluminum diamond plate protection panels for the body.			
21.	Rub rails with reflective tape.			
22.	Handrails, steps, tow eyes, and mud flaps to conform to ULC and WorkSafe BC standards.			
23.	All wiring to be hard wired. No multiplexing.			
24.	Wires will be permanently ink embossed with both number and function codes.			
25.	Electrical panels location to be discussed at the pre-construction meeting.			
26.	Provide siren amplifier; electric, with PA and microphone, to be part of the Whelen CenCom System.			
27.	Horn function to control electric horn or air horn, or hands-free for siren operation.			
28.	Two (2) 100-watt speakers installed in the front bumper (includes PA system). To meet the needs of recommended siren.			
29.	Folding ladder at rear of truck for hose bed access (best method).			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
30.	Tailboard to be adequate in depth 10" min for safety of fire fighters standing on tailboard.to assist with hose loading			
31.	Steps on front of body by pump panel if possible to have easy access to pre connects.			
32.	Install a step over rear traffic light bar, to be strong enough to hold fire fighter c/w grab handle [hose loading].			
33.	Aluminum rear wheel liners to be provided.			
34.	There will be handrails on rear beaver tail so that there are grab rails for when climbing.			
35.	Hydraulic operated porta tank rack, to be on the right side to be capable of holding a 2000 gal frame style porta tank..			
36.	Provide an audible alarm and flashing light indicator for when the porta tank rack is being lowered or raised.			
37.	Entire under portion of the body, cab and chassis to be undercoated.			
38.	Left side of apparatus to provide storage for four (4) lengths of 4" hard suction hose, each hose being 12' in length. Storage to be provided by two hose trays being mounted on the left top side body of the apparatus, each capable of storing two 12' lengths of the 4" hard suction hose.			
39.	Lighting in all compartment areas to be provided by Amdor Luma Bar LED lights controlled by the compartment door opening. Lights to be mounted so that the entire compartment and each shelf area are lit. Lighting to be mounted on both sides of each compartment.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
<b>WATER TANK</b>				
1.	Preference for a 2000 Imperial gallons water tank with 6" overflow. c/w baffles State what size of tank being provided:			
2.	To be constructed of Polypropylene to conform to ULC and NFPA standards.			
3.	Lifetime warranty against corrosion. No exception.			
4.	Tank drain and valve.			
<b>EMERGENCY EQUIPMENT</b>				
1.	To conform to ULC standards. No exception.			
2.	Manufacturer shall provide a "Certification of Compliance" of the warning system.			
3.	Emergency lights are to be controlled by Whelen CenCom Control System.			
4.	Refer to Appendix "D" – Apparatus Lighting Specifications Document.			
<b>MISCELLANEOUS</b>				
1.	Please advise, in each case of make and model, of specified equipment being provided in the bid, where applicable			
2.	Back up alarm.			



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
3.	Must meet all DOT and CVIP standards for reflectors and lighting.			
4.	2 wide angle recordable cameras, 1 front and 1 rear. To activate and record when truck is running. Further details to be confirmed at pre construction meeting.			
5.	The apparatus shall be designed to comply with all relevant provisions of ULC-S515 "Standards for Automobile Fire Fighting Apparatus". The apparatus shall be fully tested and certified by a ULC Inspector to the ULC standard and have a ULC label affixed to the apparatus prior to delivery.			
6.	Vendor to deliver the apparatus to Prince George, BC. Apparatus remains the responsibility of the manufacturer until transfer of ownership occurs with the Regional District of Fraser-Fort George.			
7.	Vendor to provide minimum 8 hours of onsite training, consideration to be taken for volunteers schedules. Training may need to be held on a weekend.			
<b>PAINTING</b>				
1.	Truck to be red; fire department to supply color code and paint lay out.			
2.	The interior of all compartments to be painted yellow.			
3.	6" Reflective striping to be provided, with Canadian Flag incorporated into striping. (to be finalized at pre-construction meeting).			
4.	Body undercoating of entire under portion of body, cab, and chassis.			
<b>EQUIPMENT</b>				



APPENDIX "E"		Compliant	Non-Compliant	State the variation being supplied if line item is non-compliant
1.	Built on hose wrenches, one set mounted on each side of body, and at rear of truck. To fit two wrenches on each mount, wrenches to be 2 ½" and 4" Storz.			
2.	Two (2) 20lb ABC fire extinguishers to be mounted on apparatus (exact locations to be determined at pre-construction meeting).			
<b>BID TO INCLUDE:</b>				
1.	A weight balance calculation.			
2.	A driveline analysis of a typical installation.			
3.	Details of service facility, hours of operation, size, locations, number of bays, paint, and body capabilities.			
4.	Number of service vehicles _____.			
5.	Confirmation that the proponent's service is not third party.			
6.	A label or decal on truck that indicates recommended fluid levels and types. Fire department to advise location of decal at preconstruction meeting.			
7.	Complete set of maintenance, service, and repair manuals for all equipment, including, but not limited to; cab, engine, pump, axles, generator, etc.			
<b>STORAGE:</b>				
1.	Two fire axe holders to be provided			



**Optional Equipment**

		<b>Price (excluding taxes)</b>
1.	Cost to provide 2 ½" pre-connect in top hose bed, right front area.	
2.	Cost to provide four 4" diameter hard suction clear color hose, 12' in length, with storz fittings	
3.	Cost to provide air conditioning in cab of truck	
4.	. Cost to provide Akron monitor with stacking tip nozzles down to ½".	
5.	Cost to provide two fire axes.	
6.	. Cost to provide two 10' pike poles,	
7.	Cost to provide and install two 6' pike poles.	
8.	Cost to provide 500' of 4" supply line in 50' lengths. Prefer Angus hose, state what is being quoted _____.	
9.	Cost to provide emergency engine shut down.	
10.	Cost to upgrade all extend-a-lights to Akron SceneStar lights.	
11.	Cost to provide one 4" intake at front of truck with electric valve to be in the pump compartment to have gauge located at pump panel, to have bleeder valve at pump panel, discharge of water to be within sight of pump operator.	



## **Emergency Lighting Specifications**

### **Ground Lights**

- 2-36" LED. One under front bumper, one under beavertail rear mounted as high as possible to come on when in park
- 6- 10" LED one under each cab door, 1 under pump panel 1- under each cabinet both sides of truck

### **Light Bar**

- Freedom IV 60" on cab
- 35' traffic bar [6 lights 500 series] top rear, to be controlled by cencom controller

### **Front Grill**

- One red outer edge of grill 600 series
- One center of grill white wig wag vxe

### **Rear of Box**

- Top of rear box, rotators top each side 300 series
- Bottom of box, Red series 600 on each side
- Top at rear each side one facing out to side one straight back scene light 600 series

### **Sides**

- One each side of box amber turn, red flashing 400 series

### **Front Fender**

- Red on each side 600 series

### **Front Corner of Box**

- One each side of box telescoping lights 4C48 must be switched from ground


### **In Cab**

- Map light red and white



**Freedom Series Light Bar Order Form/Worksheet**

*Configuration*



*Lenses*

